

# IRON AND STEEL PRODUCTS

NO.	HS CODE 2012			PRODUCT DESCRIPTION	COA ISSUANCE ORGANIZATION
<b>7207</b>				<b>Semi-finished products of iron or non-alloy steel.</b>	
<b>- Containing by weight less than 0.25% of carbon:</b>					
1	7207	11	000	-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	SIRIM
2	7207	19	000	-- Other	SIRIM
<b>7207 20</b>				<b>- Containing by weight 0.25% or more of carbon:</b>	
3	7207	20	200	-- Containing by weight less than 0.6 % of carbon	SIRIM
4	7207	20	900	-- Other	SIRIM
<b>7208</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.</b>	
5	7208	10	000	- In coils, not further worked than hot-rolled, with patterns in relief	SIRIM
<b>- Other, in coils, not further worked than hot-rolled, pickled:</b>					
6	7208	25	000	-- Of a thickness of 4.75 mm or more	SIRIM
7	7208	26	000	-- Of a thickness of 3 mm or more but less than 4.75 mm	SIRIM
8	7208	27	000	-- Of a thickness of less than 3 mm	SIRIM
<b>- Other, in coils, not further worked than hot-rolled:</b>					
9	7208	36	000	-- Of a thickness exceeding 10 mm	SIRIM
10	7208	37	000	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	SIRIM
11	7208	38	000	-- Of a thickness of 3mm or more but less than 4.75 mm	SIRIM
<b>7208 39</b>				<b>-- Of a thickness of less than 3 mm:</b>	
12	7208	39	200	--- Containing by weight less than 0.6% of carbon	SIRIM
13	7208	39	900	--- Other	SIRIM
14	7208	40	000	- Not in coils, not further worked than hot-rolled, with patterns in relief	SIRIM
<b>- Other, not in coils, not further worked than hot-rolled:</b>					
15	7208	51	000	-- Of a thickness exceeding 10 mm	SIRIM/CIDB
16	7208	52	000	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	SIRIM/CIDB
17	7208	53	000	-- Of a thickness of 3 mm or more but not less than 4.75 mm	SIRIM/CIDB
<b>7208 54</b>				<b>-- Of a thickness of less than 3 mm:</b>	
18	7208	54	200	--- Containing by weight less than 0.6 % of carbon	SIRIM/CIDB
19	7208	54	900	--- other	SIRIM/CIDB
<b>7209</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.</b>	
<b>- In coils, not further worked than cold-rolled (cold-reduced):</b>					
20	7209	15	000	-- Of a thickness of 3 mm or more	SIRIM
21	7209	16	000	-- Of a thickness exceeding 1 mm but less than 3 mm	SIRIM

22	7209	17	000	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	SIRIM
<b>7209 18</b>				-- Of a thickness of less than 0.5 mm:	
				--- Containing by weight less than 0.6% of carbon:	
23	7209	18	290	---- Other	SIRIM
				- Not in coils, not further worked than cold-rolled (cold-reduced):	
24	7209	25	000	-- Of a thickness of 3 mm or more	SIRIM
25	7209	26	000	-- Of a thickness exceeding 1mm but less than 3 mm	SIRIM
26	7209	27	000	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	SIRIM
<b>7209 28</b>				-- Of a thickness of less than 0.5 mm:	
27	7209	28	290	---- Other	SIRIM
<b>7210</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.</b>	
				- Plated or coated with tin:	
<b>7210 30</b>				- Electrolytically plated or coated with zinc:	
				-- Containing by weight less than 0.6% of carbon:	
28	7210	30	210	--- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
29	7210	30	290	--- Other	SIRIM/CIDB
<b>7210 41</b>				-- Corrugated:	
				--- Containing by weight less than 0.6% of carbon:	
30	7210	41	210	--- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
<b>7210 49</b>				-- Other:	
				--- Containing by weight less than 0.6% of carbon:	
31	7210	49	210	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
32	7210	49	290	---- Other	SIRIM/CIDB
<b>7210 61</b>				-- Plated or coated with aluminum-zinc alloys:	
				--- Containing by weight less than 0.6% of carbon:	
33	7210	61	310	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
34	7210	61	390	---- Other	SIRIM/CIDB
<b>7210 70</b>				- Painted, varnished or coated with plastics:	
				-- Containing by weight less than 0.6% of carbon:	
35	7210	70	210	--- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
36	7210	70	290	--- Other	SIRIM/CIDB
<b>7211</b>				<b>Flat rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.</b>	
				- Not further worked than hot rolled:	
37	7211	13	000	-- Rolled on four faces or in closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	SIRIM
<b>7211 14</b>				-- Other, of thickness of 4.75 mm or more:	
				--- Containing by weight less than 0.6% of carbon:	
38	7211	14	210	---- Hoop and strip	SIRIM
39	7211	14	290	---- Other	SIRIM
<b>7211 19</b>				-- Other:	
				--- Containing by weight less than 0.6% of carbon:	

40	7211	19	210	---- Hoop and strip	SIRIM
41	7211	19	290	---- Other	SIRIM
				<b>- Not further worked than cold-rolled (cold-reduced):</b>	
<b>7211 23</b>				<b>-- Containing by weight less than 0.25% of carbon:</b>	
42	7211	23	100	--- Hoop and strip	SIRIM
43	7211	23	900	--- Other	SIRIM
<b>7211 29</b>				<b>-- Other:</b>	
				<b>--- Containing by weight 0.25% or more, but less than 0.6% of carbon:</b>	
44	7211	29	110	---- Hoop and strip	SIRIM
45	7211	29	190	---- Other	SIRIM
46	7211	29	200	--- Containing by weight 0.6% or more of carbon	SIRIM
<b>7212</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.</b>	
<b>7212 20</b>				<b>- Electrolytically plated or coated with zinc:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
47	7212	20	210	--- Hoop and strip	SIRIM/CIDB
				<b>--- Other:</b>	
48	7212	20	291	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
49	7212	20	299	---- Other	SIRIM/CIDB
<b>7212 30</b>				<b>- Otherwise plated or coated with zinc:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
50	7212	30	210	--- Hoop and strip	SIRIM/CIDB
				<b>--- Other:</b>	
51	7212	30	291	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
52	7212	30	299	---- Other	SIRIM/CIDB
<b>7212 40</b>				<b>- Painted, varnished or coated with plastics:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
53	7212	40	210	--- Hoop and strip	SIRIM/CIDB
				<b>--- Other:</b>	
54	7212	40	291	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
55	7212	40	299	---- Other	SIRIM/CIDB
<b>7212 50</b>				<b>- Otherwise plated or coated:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
56	7212	50	210	--- Hoop and strip	SIRIM/CIDB
				<b>--- Other:</b>	
57	7212	50	291	---- Of a thickness not exceeding 1.5mm	SIRIM/CIDB
58	7212	50	299	---- Other	SIRIM/CIDB
<b>7213</b>				<b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.</b>	
59	7213	10	000	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	CIDB
60	7213	20	000	- Other, of free-cutting steel	SIRIM
				<b>- Other:</b>	

61	7213	91	000	-- Of circular cross-section measuring less than 14 mm in diameter	SIRIM / CIDB*
62	7213	99	000	-- Other	SIRIM / CIDB*
<b>7214</b>				<b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.</b>	
<b>7214 10</b>				<b>- Forged:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
63	7214	10	210	--- Of circular cross-section	SIRIM
64	7214	10	290	--- Other	CIDB
				<b>-- Other:</b>	
65	7214	10	910	--- Of circular cross-section	SIRIM
<b>7214 20</b>				<b>- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
66	7214	20	210	--- Of circular cross-section	CIDB
67	7214	20	910	--- Of circular cross-section	CIDB
<b>7214 30</b>				<b>- Other, of free-cutting steel:</b>	
68	7214	30	100	-- Of circular cross-section	SIRIM
<b>7214 99</b>				<b>-- Other:</b>	
				<b>--- Containing by weight less than 0.6% of carbon:</b>	
69	7214	99	210	---- Of circular cross-section	SIRIM
70	7214	99	910	---- Of circular cross-section	SIRIM
<b>7215</b>				<b>Other bars and rods of iron or non-alloy steel.</b>	
<b>7215 10</b>				<b>- Of free-cutting steel, not further worked than cold-formed or cold-finished:</b>	
71	7215	10	100	-- Of circular cross-section	SIRIM
<b>7215 50</b>				<b>- Other, not further worked than cold-formed or cold-finished:</b>	
				<b>-- Containing by weight less than 0.6% of carbon:</b>	
72	7215	50	210	--- Of circular cross-section	SIRIM
73	7215	50	910	--- Of circular cross-section	SIRIM
<b>7215 90</b>				<b>- Other:</b>	
74	7215	90	100	-- Of circular cross-section	SIRIM
<b>7216</b>				<b>Angles, shapes and sections of iron or non-alloy steel.</b>	
75	7216	10	000	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	CIDB
				<b>- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:</b>	
76	7216	21	000	-- L sections	SIRIM/CIDB
77	7216	22	000	-- T sections	CIDB
				<b>- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:</b>	
78	7216	31	000	-- U sections	CIDB
79	7216	32	000	-- I sections	CIDB
<b>7216 33</b>				<b>-- H sections:</b>	
80	7216	33	200	--- Containing by weight less than 0.6% of carbon	CIDB
81	7216	33	900	--- Other	CIDB

<b>7216 40</b>				<b>- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:</b>	
82	7216	40	100	-- L section	SIRIM/CIDB
83	7216	40	200	-- T sections	SIRIM/CIDB
<b>7216 50</b>				<b>- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:</b>	
84	7216	50	100	-- Angles	CIDB
85	7216	50	200	-- Shapes and sections	CIDB
				<b>- Angles, shapes and sections, not further worked than cold-formed or cold-finished:</b>	
<b>7216 61</b>				<b>-- Obtained from flat-rolled products:</b>	
86	7216	61	100	--- Angles	CIDB
87	7216	61	200	-- Shapes and sections	CIDB
<b>7216 69</b>				<b>-- Other:</b>	
88	7216	69	200	--- Shapes and sections	CIDB
<b>7217</b>				<b>Wire of iron and non-alloy steel.</b>	
89	7217	10	000	- Not plated or coated, whether or not polished	CIDB
90	7217	20	000	- Plated or coated with zinc	SIRIM
91	7217	30	000	- Plated or coated with other base metals	SIRIM
92	7217	90	000	- Other	CIDB
<b>7222</b>				<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.</b>	
<b>7222 20</b>				<b>- Bars and rods, not further worked than cold-formed or cold-finished:</b>	
93	7222	20	100	-- Of circular cross-section	SIRIM
<b>7222 30</b>				<b>- Other bars and rods:</b>	
94	7222	30	100	-- Of circular cross-section	SIRIM
<b>7228</b>				<b>Other bars and rods of alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.</b>	
<b>7228 70</b>				<b>- Angles, shapes and sections:</b>	
				<b>-- Angles:</b>	
95	7228	70	190	--- Other	CIDB
96	7228	70	200	-- Shapes and sections	CIDB
<b>7229</b>				<b>Wire of other alloy steel.</b>	
97	7229	20	000	- Of silico-manganese steel	CIDB
<b>7301</b>				<b>Sheet piling of iron and steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel.</b>	
98	7301	10	000	- Sheet piling	CIDB
99	7301	20	000	- Angles, shapes and sections	CIDB
<b>7302</b>				<b>Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack-rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails.</b>	
100	7302	10	000	- Rails	SIRIM / CIDB**
101	7302	90	100	- Sleepers (cross-ties)	CIDB

<b>7303</b>				<b>Tubes, pipes and hollow profiles, of cast iron.</b>	
102	7303	00	000	Tubes, pipes and hollow profiles, of cast iron.	CIDB
<b>7304</b>				<b>Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel.</b>	
<b>- Line pipe of a kind used for oil or gas pipelines:</b>					
103	7304	11	000	-- Of stainless steel	SIRIM / CIDB***
104	7304	19	000	-- Other	SIRIM / CIDB***
<b>- Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:</b>					
105	7304	22	000	-- Drill pipe of stainless steel	SIRIM / CIDB***
106	7304	23	000	-- Other drill pipe	SIRIM / CIDB***
107	7304	24	000	-- Other, of stainless steel	SIRIM / CIDB***
108	7304	29	000	-- Other	SIRIM / CIDB***
<b>- Other, of circular cross-section, of iron or non-alloy steel:</b>					
<b>7304 31</b>					
<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>					
109	7304	31	100	--- High pressure pipe	SIRIM
110	7304	31	900	--- Other	SIRIM
<b>7304 39</b>					
<b>-- Other:</b>					
111	7304	39	100	--- High pressure pipe	SIRIM
112	7304	39	900	--- Other	SIRIM
<b>- Other, of circular cross-section, of stainless steel:</b>					
<b>7304 41</b>					
<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>					
113	7304	41	100	--- High pressure pipe	SIRIM
114	7304	41	900	--- Other	SIRIM
<b>7304 49</b>					
<b>-- Other:</b>					
115	7304	49	100	--- High pressure pipe	SIRIM
116	7304	49	900	--- Other	SIRIM
<b>- Other, of circular cross-section, of other alloy steel:</b>					
<b>7304 51</b>					
<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>					
117	7304	51	100	--- High pressure pipe	SIRIM
118	7304	51	900	--- Other	SIRIM
<b>7304 59</b>					
<b>-- Other:</b>					
119	7304	59	100	--- High pressure pipe	SIRIM
120	7304	59	900	--- Other	SIRIM
<b>7304 90</b>					
<b>- Other:</b>					
121	7304	90	100	-- High pressure pipe	SIRIM
<b>7305</b>				<b>Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel.</b>	
<b>- Line pipe of a kind used for oil or gas pipelines:</b>					
122	7305	11	000	-- Longitudinally submerged arc welded	SIRIM
123	7305	12	000	-- Other, longitudinally welded	SIRIM
124	7305	19	000	-- Other	SIRIM
125	7305	20	000	- Casing of a kind used in drilling for oil or gas	SIRIM
<b>- Other, welded:</b>					
126	7305	31	000	-- Longitudinally welded	SIRIM

127	7305	39	000	-- Other	SIRIM/CIDB
128	7305	90	000	- Other	SIRIM/CIDB
<b>7306</b>				<b>Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel.</b>	
				<b>- Line pipe of a kind used for oil or gas pipelines:</b>	
129	7306	11	000	-- Welded, of stainless steel	SIRIM/CIDB
130	7306	19	000	-- Other	SIRIM/CIDB
				<b>- Casing and tubing of a kind used in drilling for oil or gas:</b>	
131	7306	21	000	-- Welded, of stainless steel	SIRIM/CIDB
132	7306	30	000	- Other, welded, of circular cross-section, of iron or non-alloy steel	SIRIM/CIDB
133	7306	40	000	- Other, welded, of circular cross-section, of stainless steel	SIRIM
134	7306	50	000	- Other, welded, of circular cross-section, of other alloy steel	SIRIM/CIDB
135	7306	61	000	-- Of square or rectangular cross-section	SIRIM/CIDB
136	7306	69	000	-- Of other non-circular cross-section	SIRIM/CIDB
137	7306	90	000	- Other	SIRIM/CIDB
<b>7308</b>				<b>Structures (excluding prefabricated buildings of heading 94.06) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frame-works, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel.</b>	
<b>7308 40</b>				<b>- Equipment for scaffolding, shuttering, propping or pitpropping:</b>	
138	7308	40	000	- Equipment for scaffolding, shuttering, propping or pitpropping	CIDB
<b>7312</b>				<b>Stranded wire, ropes, cables, plaited, bands, slings and the like, of iron or steel, not electrically insulated.</b>	
139	7312	10	000	- Stranded wire, ropes and cables	SIRIM/CIDB
140	7312	90	000	- Other	SIRIM/CIDB
<b>7314</b>				<b>Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel.</b>	
				<b>- Woven cloth:</b>	
141	7314	20	000	- Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm <sup>2</sup> or more	CIDB
				<b>- Other grill, netting and fencing, welded at the intersection:</b>	
142	7314	50	000	- Expanded metal	CIDB
<b>7325</b>				<b>Other cast articles of iron and steel.</b>	
<b>7325 10</b>				<b>- Of non-malleable cast iron:</b>	
143	7325	10	100	-- Manhole covers, gratings and frames thereof	CIDB
				<b>-- Other:</b>	
144	7325	99	100	Manhole covers, gratings and frames thereof	CIDB

# ALUMINIUM PRODUCTS

NO.	HS CODE			PRODUCT DESCRIPTION	COA ISSUANCE ORGANIZATION
7606				Aluminium plates, sheets and strip, of a thickness exceeding 0.2 mm.	
- Rectangular (including square):					
1	7606	11	000	-- Of aluminium, not alloyed	SIRIM
2	7606	12	000	-- Of aluminium alloys	SIRIM
- Other:					
3	7606	91	000	-- Of aluminium, not alloyed	SIRIM
4	7606	92	000	-- Of aluminium alloys	SIRIM
7607				Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm.	
- Not backed:					
5	7607	11	000	-- Rolled but not further worked	SIRIM
6	7607	19	000	-- Other	SIRIM

## Note:

### \* 7213 91 000 & 7213 99 000 :

- Steel Wire Rod = COA application to SIRIM
- Steel Wire Rod for Wire Mesh and PC Strand = COA application to CIDB

### \*\* 7302 10 000 :

- Construction Steel Rails = COA application to CIDB
- Other purpose of rails = COA application to SIRIM

### \*\*\* 7304 11 000, 7304 19 000, 7304 22 000, 7304 23 000, 7304 24 000 & 7304 29 000 :

- Oil & Gas purpose = COA application to CIDB
- Other purpose = COA application to SIRIM